

PAL

WIRELESS WIEGAND CONTROLLER



Virtual credentials when you want. Physical credentials when you don't.



Wireless - PAL requires no network connection. Its a true plug and play system



7-day automatic unlock/lock schedule



Works with ANY Wiegand device
(Transmitters, cards, fobs, RFID tags, etc.)



Cloud based - easy to use software



APP Based Virtual Credentials - Open the gate or door through an iOS or Android device



1-Input that will alert an unlimited amount of email addresses if your gate or door is left open for a determined amount of time



Manage, restrict, and control all users
(Both wiegand and virtual credentials)



Up to 60,000 users



CLOUD-BASED SOFTWARE

The PAL Wireless Wiegand Controller is operated through an intuitive cloud-based software that gives flexibility to use it from a desktop or through the dedicated PAL application.

You are able to manage multiple access points with a PAL device from a single dashboard, view unlimited event logs, and manage user access. This unparalleled management made easy gives you more power to manage access control.

VIEW WEB INTERFACE MANUAL

SPECIFICATIONS

Dimensions	70x50 mm
Input Voltage	12-24VDC
Antenna	3G or 4G
Management	Web Portal and Application
Protocol Support	Wiegand
Power Consumption	30ma

LEDs	Meaning
Fast flashing of the SIM light	System is booting
Slow flashing of the SIM light	Module is looking for a cellular network
2 blinks and break	connecting to the Internet process
Sim LED blinks 4 times	Connecting to the PAL interface
Sim LED blinks slow	Poor signal
Sim LED is stable	System ready
Signal light No. 1 is on	Low signal
Signal light No. 2 is on	Good signal
Signal light No. 3 is on	Very good signal

VIRTUAL credentials when you want & **PHYSICAL** credentials when you don't.



2480 South 3850 West, Suite B
Salt Lake City, UT 84120
(866) 975-0101 • (866) 975-0404 fax
www.transmittersolutions.com